

# **tausta.sh and tausta.ksh.sh**

## **Korn Shell (and Bourne Shell) scripts, that change desktop wallpaper under X Window System**

### **Contents**

|   |          |
|---|----------|
| <b>1 Copyright and licence</b>                            | <b>1</b> |
| <b>2 Pros and cons of this software</b>                   | <b>2</b> |
| 2.1 Pros . . . . .  | 2        |
| 2.2 Cons . . . . .  | 2        |
| <b>3 Notes</b>  | <b>2</b> |
| <b>4 Installation</b>                                     | <b>3</b> |
| <b>5 Commands for loading wallpapers</b>                  | <b>4</b> |
| 5.1 Software . . . . .                                    | 4        |
| 5.1.1 For loading wallpapers . . . . .                    | 4        |
| 5.1.2 For loading planet or moon images . . . . .         | 5        |
| 5.1.3 For making random pics on the root window . . . . . | 5        |
| 5.1.4 For unsorting lines of tausta.conf . . . . .        | 5        |
| 5.1.5 For fetching files from WWW . . . . .               | 5        |
| 5.2 Commands . . . . .                                    | 6        |
| 5.2.1 Beginning of commands . . . . .                     | 6        |
| 5.2.2 Tiled . . . . .                                     | 6        |
| 5.2.3 Center tiled . . . . .                              | 6        |
| 5.2.4 Centered . . . . .                                  | 7        |
| 5.2.5 Maximized . . . . .                                 | 7        |
| 5.2.6 Often updated WWW-image . . . . .                   | 7        |
| 5.2.7 Phase of the moon etc. . . . .                      | 8        |
| 5.2.8 Randomly generated pic . . . . .                    | 9        |
| 5.2.9 Doing it in Gnome way . . . . .                     | 9        |

# **1 Copyright and licence**

Copyright (C) 2003–2007 Juhapekka Tolvanen and Mika Jorma Saaristo

This script was originally created as a Bourne Shell script by:

Mika Jorma Saaristo

<http://www.cc.jyu.fi/~mjsaarisi/>

mjsaarisi (at) cc (dot) jyu (dot) fi

After that it was heavily modified by:

Juhapekka "naula" Tolvanen

juhtolv (at) iki (dot) fi

<http://iki.fi/juhtolv>

A function called "watcher" is based on a Perl-code-snippet as seen in a man page of xscreensaver-command (by Jamie Zawinski ( <http://www.jwz.org/> ))

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also this documentation-file is under GNU GPL version 2 or (at your option) any later version. Source code is file README.txt and everything that is generated from it is treated like binary of software.

# **2 Pros and cons of this software**

## **2.1 Pros**

Main advantage of this software is extreme flexibility. Practically any command that can change your desktop wallpaper can be used by this software. This software tries to avoid loading wallpaper when XScreenSaver is running some of its screen hacks. You do not need Mad Shell-Fu Skillz for configuring this software.

## **2.2 Cons**

If you do not want to change desktop wallpaper automatically after every few hours, this software is definitely not for you. If you want to change your desktop wallpaper after every few hours, but do not need all this flexibility, this software may be a little bit overkill for you. Some Bourne Shell -scripting skills are needed when configuring this software and for some people it is too much.

## **3 Notes**

In my machine a command called `ps` is from software package called `procps`. If you use some GNU/Linux-distribution, you probably have it. I haven't tested, how well these scripts work with other implementations of `ps`-command.

`tausta.sh` script is not as reliable as `tausta.ksh.sh` : I have seen many times, that `tausta.sh` scripts loads wallpaper when `xscreensaver` runs some screen hack. If you experience same problem, install some implementation of Korn Shell -language (ie. `pdksh` or `zsh`) and use `tausta.ksh.sh` instead.

Most proprietary Unixes has at least AT&T `ksh88`. Some of them has `dtksh`; It is `ksh93` with CDE-capabilities. `pdksh` has tinier binary than `zsh`, so you'd better use it as implementation of Korn Shell-language. If you use `zsh` as Korn Shell-implementation, you must make it emulate `ksh` with this command:

```
emulate ksh
```

The Original AT&T KSH93 is finally really free software, so feel free to use it:

<http://www.kornshell.com/>

At least Debian GNU/Linux and Slackware Linux have it packaged already.

## **4 Installation**

First you need some cool software, that can load wallpaper or image to X Window System desktop. I prefer `xli` and `hsetroot`. If I want to download some frequently updated image from WWW and load it as wallpaper, I prefer `dog` for that purpose, but `curl` is also good.

Create directory `~/.tausta.sh.dir`. `tausta.rc.sh` has some user-serviceable parts you can edit; at least name of window manager process must be right or script won't run at all. Put `tausta.rc.sh` to `~/.tausta.sh.dir/`. Put scripts `tausta.sh` and `tausta.ksh.sh` to some directory in your `$PATH`, for example `~/bin/`. You may need to edit them a little bit, first. Use `chmod`-command to ensure that you can run them.

Now create some file called `tausta.conf` and put it to `~/tausta.sh.dir`. A file called `tausta.conf` is provided as example. Empty lines and lines starting with `#` are ignored, of course. Commands are normal commands that Bourne Shell or any of its derivative understands. You can use exported environment variables instead of plain commands and directory paths. Those environment variables are exported in file `~/tausta.sh.dir/tausta.rc.sh`.

You can unsort lines of `tausta.conf` with software like `unsort` or `bogosort`.

Now everything should be in place. Then you must configure your X-session, window-manager or desktop environment so, that command like this is run automatically during startup:

```
nice -n 20 tausta.ksh.sh &
```

If your computer is powerfull enough, you can omit that `nice -n 20`.

You can stop waiting for next loading of wallpaper with commands like these:

```
kill -USR1 $(cat ~/.tausta.sh.dir/tausta.pid)
```

```
kill -USR1 'cat ~/.tausta.sh.dir/tausta.pid'
```

Feel free to bind them to some menu entry, panel button, keybinding etc. After giving such command, you must wait about amount of `$CHECKINTERVAL` seconds before the next wallpaper is loaded.

Use signal like 1, 2, 3, 15 or 20 (SIGHUP, SIGINT, SIGQUIT, SIGTERM or SIGCHLD) to stop script, so it can safely exit. You can restart script with signal USR2 .

If some image loading command makes your desktop background messed up, or any other anomalies are seen, then check out file `~/.tausta.sh.dir/lastcommand` to find out which command was tried when loading the latest image.

## 5 Commands for loading wallpapers

### 5.1 Software

Consult these, if you can't find some software:

- <http://freshmeat.net/>
- <http://www.ftpsearch.net/>
- <http://www.google.com/>

### **5.1.1 For loading wallpapers**

- hsetroot (Best software for loading center-tiled.)
  - <http://thegraveyard.org/hsetroot.php>
- xli (Good for all but loading wallpaper center-tiled)
  - <http://pantransit.reptiles.org/prog/>
- xloadimage. (has xsetbg). YOU DO NOT NEED THIS CRAP!: Use xli, because it is improved version of xloadimage. xloadimage is likely to be present on any X11 contrib mirror site:
  - <http://www.mirrormonster.com/ftp.x.org/R5contrib/xloadimage.4.1.tar.gz>
  - <http://www.x.org/mirrors.html>
- chbg (This is buggy crap that depends on ancient GTK+ 1.\*)
  - <http://chbg.sourceforge.net/>
- Esetroot.
  - <http://www.jnrowe.ukfsn.org/projects/esetroot.html>
- habak. Homepage has been disappeared. Pristine source code is still available in FTP-site of Debian and its mirrors:
  - [ftp://ftp.debian.org/debian/pool/main/h/habak/habak\\_0.2.5.orig.tar.gz](ftp://ftp.debian.org/debian/pool/main/h/habak/habak_0.2.5.orig.tar.gz)
  - <http://www.debian.org/mirror/list>

### **5.1.2 For loading planet or moon images**

- xplanet.
  - <http://xplanet.sourceforge.net/>
- xphoon
  - <http://xphoon.sourceforge.net/>
  - <http://sourceforge.net/projects/xphoon/>
  - <http://www.acme.com/software/xphoon/>
- pngphoon.
  - <http://svolli.de/software/pngphoon/>

### **5.1.3 For making random pics on the root window**

- xstarfish.
  - <http://www.redplanetsw.com/starfish>
- Evolvotron. (I haven't tried this yet, but it seems promising. Maybe you should create images with this software by hand and then load them with xli or hseroot)
  - <http://www.bottlenose.demon.co.uk/share/evolvotron/>

### **5.1.4 For unsorting lines of tausta.conf**

- bogosort
  - <http://www.lysator.liu.se/~qha/bogosort/>
  - <ftp://ulrik.haugen.se/pub/unix/bogosort/>
- unsort
  - <http://www.vanheusden.com/unsort/>

You'd better learn this feature of your text editor: How to pipe chosen lines of text to external command and then substitute those lines with output of that command. If your text editor can't do it, it's time to learn some better text editor, like vi, Vim, GNU Emacs or XEmacs. Learn to use "undo", too.

### **5.1.5 For fetching files from WWW**

- dog. (Probably the fastest software for this purpose but has been reported to have ugly source code)
  - <http://jl.photodex.com/dog>
- curl. (Much smaller binary than in wget. Very recommended.)
  - <http://curl.haxx.se/>
- wget. (Not too bad)
  - <http://www.gnu.org/software/wget/wget.html>
- lynx. (This is really a WWW-browser)
  - <http://lynx.isc.org/>
- w3m. (This is really a WWW-browser)
  - <http://w3m.sourceforge.net/>
- links/elinks/links2/links hacked/whatever. (This is really a WWW-browser) Argh... I do not bother tell homepages of all those forks.

## **5.2 Commands**

Especially I tell you how to substitute xv-commands with free software.

### **5.2.1 Beginning of commands**

```
xv -smooth +noresetroot -root -quit  
xli -quiet -cdither -onroot
```

### **5.2.2 Tiled**

```
xv -smooth +noresetroot -root -quit /usr/local/textures/3com01.jpg  
xli -quiet -cdither -onroot /usr/local/textures/3com01.jpg
```

### **5.2.3 Center tiled**

```
xv -smooth +noresetroot -root -rmode 4 -quit \  
/usr/local/textures/applix01.jpg  
hsetroot -tile /usr/local/textures/applix01.jpg  
chbg -mode centertile /usr/local/textures/applix01.jpg
```

### **5.2.4 Centered**

```
xv -smooth +noresetroot -root -rmode 5 -quit \  
/usr/local/textures/stickdeath01.jpg  
xli -quiet -cdither -onroot -center -border black \  
/usr/local/textures/stickdeath01.jpg  
hsetroot -center /usr/local/textures/stickdeath01.jpg
```

### **5.2.5 Maximized**

Stretch image to fill whole screen:

```
xv -smooth +noresetroot -root -max -quit \  
/usr/local/textures/soundbla.jpg  
hsetroot -fill /usr/local/textures/soundbla.jpg
```

Stretch image, but keep aspect ratio:

```
xli -quiet -cdither -onroot -fullscreen -border black \  
-smooth /usr/local/textures/soundbla.jpg  
hsetroot -full /usr/local/textures/soundbla.jpg
```

### **5.2.6 Often updated WWW-image**

(Don't blame me, if such image is one day replaced with goatse or tubgirl or if some goatse-like guy starts doing his thing in front of some webcam...) dog can not handle redirection. hsetroot can not read from stdin.

```
dog --no-header http://vision.ucsd.edu/~atai/softwarewar.png \
| xsetbg -quiet -onroot -center stdin

dog --no-header http://www.ssec.wisc.edu/data/comp/latest_moll.gif \
| xsetbg -quiet -onroot -fullscreen stdin

dog --no-header http://www.ssec.wisc.edu/data/comp/latest_moll.gif \
| xli -quiet -cdither -onroot -fullscreen -border black -smooth \
stdin

wget -q -O - http://vision.ucsd.edu/~atai/softwarewar.png \
| xsetbg -quiet -onroot -center stdin

curl -s http://vision.ucsd.edu/~atai/softwarewar.png \
| xsetbg -quiet -onroot stdin

lynx --source --dump http://vision.ucsd.edu/~atai/softwarewar.png \
| xsetbg -quiet -onroot -center stdin

elinks -dump -source http://iki.fi/juhtolv/pix/ryppy_black.jpg \
| xsetbg -quiet -onroot stdin

w3m -dump_source http://iki.fi/juhtolv/pix/ryppy.jpg \
| xsetbg -quiet -onroot stdin
```

### **5.2.7 Phase of the moon etc.**

```
xphoon

xplanet -config ~/.xplanet/config -longitude 25.5 -latitude \
62.1 -label -num_times 1 -label_string "Origin: %o. Target: %t." \
-labelpos "+15+15" -pango -font 'Sans' -fontsize 12

xplanet -config ~/.xplanet/config -longitude 25.5 -label \
-num_times 1 -label_string "Origin: %o. Target: %t." \
-labelpos "+15+15" -pango -font 'Sans' -fontsize 12 -projection \
mercator
```

```

xplanet -config ~/.xplanet/config -longitude 25.5 -label \
-num_times 1 -label_string "Origin: %o. Target: %t." -labelpos \
"+15+15" -pango -font 'Sans' -fontsize 12 -projection lambert

xplanet -config ~/.xplanet/config -latitude 90 -label \
-num_times 1 -label_string "Origin: %o. Target: %t." -labelpos \
"+15+15" -pango -font 'Sans' -fontsize 12 -projection azimuthal

xplanet -config ~/.xplanet/config -latitude -90 -label -num_times \
1 -label_string "Origin: %o. Target: %t." -labelpos "+15+15" \
-pango -font 'Sans' -fontsize 12 -projection azimuthal

xplanet -config ~/.xplanet/config -longitude 25.5 -label \
-num_times 1 -label_string "Origin: %o. Target: %t." -labelpos \
"+15+15" -pango -font 'Sans' -fontsize 12 -projection ancient

xplanet -config ~/.xplanet/config -longitude 25.5 -label \
-num_times 1 -label_string "Origin: %o. Target: %t." -labelpos \
"+15+15" -pango -font 'Sans' -fontsize 12 -projection hemisphere

xplanet -config ~/.xplanet/config -longitude 25.5 -latitude \
62.1 -label -num_times 1 -label_string "Origin: %o. Target: %t." \
-labelpos "+15+15" -pango -font 'Sans' -fontsize 12 -projection \
orthographic

```

### **5.2.8 Randomly generated pic**

```

xstarfish --size random

xstarfish --size small

xstarfish --size medium

xstarfish --size large

xstarfish --size full

```

### **5.2.9 Doing it in Gnome way**

Set background image:

```

gconftool --type string --set \
/desktop/gnome/background/picture_filename \
/path/to/filename

```

Image options (yes, separated command):

```
# Fill screen. Keep aspect ratio (in Gnome 2.16):  
gconftool --type string --set \  
/desktop/gnome/background/picture_options zoom
```

Start up gconf-editor. See gconf-option /desktop/gnome/background/ . That part picture\_options can have one of these values:

- none
- wallpaper
- centered
- scaled
- stretched

Generated on: 2007-07-17 01:22:42 EET. Generated by [Docutils](#) from [reStructuredText](#) source.